

PRODUCT DATA SHEET







ELG6210 MEC-FLEX OILER PRO C5

PRODUCT CODE SIZE ELG6210MED MED ELG6210LRG LRG ELG6210XLG XLG ELG62102XL 2XL



OTHER MEC-FLEX GLOVES







Mec-Flex



Mec-Flex Utility Gold C5 360



Mec-Flex

MEC-FLEX OILER PRO C5

The Mec-Flex® Oiler Pro offers the next level of protection in the Oiler Series incorporating Hyde-Tex C5 which gives you the highest levels of Cut, Tear & Puncture resistance.

- K-Guard® TPR (Thermal Plastic Rubber) back of hand exoskeleton is designed to absorb and dissipate impacts to the back of hand, knuckles and fingers.
 - Hyde-Tex® GRIP Palm Hyde-Tex® Synthetic leather with specially formulated non-slip silicon grip pattern.
 - Dynamax® Cut level 5 protection on the palm, fingers and
 - High visibility Orange two-way form fitting stretch spandex on the back of the hand increasing ventilation fit and
 - 60mm Neoprene cuff for added wrist and forearm protection.
 - ID Tag for wearer name.
 - Ergonomically designed form-fitting 3 dimension
 - Kevlar[®] stitched palm for added durability.

CERTIFICATIONS & STANDARDS

These Gloves are certified by SAI Global to AS/NZS 2161.3:2005 and EN388









General Requirements Risk Category Sizing Marking/labelling etc

D: Pucture resistance



3544EP Abrasion resistance Blade cut resistance Tear resistance Pucture resistance

Mechanical Hazards - Performance Levels						
	Test	Level 1	Level 2	Level 3	Level 4	Level
	A: Abrasion resistance	100	500	2000	8000	-
	B: Blade cut resistance	1,2	2,5	5,0	10,0	20,0

Information regarding protection refers to the working surface, i.e the palm of the glove which has been submitted for testing. The overall classification for gloves with two or more non-interconnected layers does no necessarily reflect the performance of the outermost layer. The protection levels indicated are only valid for new gloves.











